

# LECTRIC I & III


## BUILT-IN RF MOTOR WALL OR UNDER CEILING MOUNT

### GENERAL


The *LECTRIC I* or *III* screen may be mounted to the wall or ceiling as shown in Figures 1 and 2. The screen comes with three mounting brackets and screws. Where possible, the mounting brackets should be installed to rigid structural members. If this is not possible, suitable wall anchors or other mounting methods must be considered.

Unless otherwise specified, the motor locates on the left end of the housing. The screen fabric rolls down from the backside of the roller.

A basic Toggle switch is supplied with the screen. Decorator wall switch or other controls are optional.



**Figure 1**  
Wall Mounted



**Figure 2**  
Ceiling Mounted

### Important considerations when deciding the mounting location for the screen.

- The Housing Length (Figure 3) is as follow:  
Housing Length = Viewing Width + 10 1/4 (*Lectric I*)  
Housing Length = Viewing Width + 17 1/2 (*Lectric III*)
- The screen is centered in the housing.
- The housing may be moved left or right after it has been hang for final location.


### INSTALLATION

Determine the housing length and Dim. K. A third mounting bracket is recommended for middle support for screen of 96 inches viewing width or larger.

Dim. K should be approximately 1/6 to 1/8 of Housing Length.

Install the mounting brackets as required. Be sure they are level for proper contact with the housing.

*Note: If the screen is wall mount, the mounting brackets must be at least 1 1/2 inches from the ceiling as shown in Figure 1. If the screen is ceiling mount, the mounting brackets must be at least 4 3/4 inches from the wall (Figure 2).*



**Figure 3**



VUTEC CORPORATION  
11711 W. Sample Road  
Coral Springs, FL 33065-3155  
TEL: 954 545-9000 • FAX: 954 545-9011  
EMAIL: sales@vutec.com

Back-off the locking screw for each mounting bracket so that it is even with the inside face of the bracket.

Slightly tip the screen housing and fit it into the mounting brackets. If this is a ceiling installation, move the screen housing toward the rear immediately after the insertion so the screen is completely hooked to the brackets (see Figure 2).

Carefully move the screen housing side to side for final location as desired.

Tighten the locking screw of each bracket to lock the screen in place.

## **ELECTRICAL**

*THIS SCREEN EQUIPPED WITH A BUILT-IN RF MOTOR. SIMPLY PLUG THE POWER CORD TO 120VAC OUTLET FOR OPERATIONS.*

### **Note for 220VAC RF motor:**

*220VAC RF motor does not have a plug for the power cable; add an appropriate plug of the region for used.*

*Connect the wires as follow: Green/Yellow to Ground, Blue to Neutral, and Brown to AC Line.*

## **OPERATIONS**

Press the Arrow Down button on the transmitter to send the screen down to show position.

Press the Arrow Up button on the transmitter to send the screen to the upper limit.

Press the middle button to stop the screen travel.

## **CHANGING THE SCREEN UPPER & LOWER LIMITS**

### **Changing the lower limit**

Send the screen down in normal mode by momentary pressing the Arrow Down button.

The screen will come to the lower limit and stop.

Press and hold both the Up and Down Arrow buttons until the screen jog up and down in respond. Release the buttons.

Change the lower limit by momentary pressing the Up or Down button.

Press the Stop button until the screen jog up and down in respond to registering the new lower limit. Normal operation has been resumed after this step.

### **Changing the upper limit**

Send the screen up in normal mode by momentary pressing the Arrow Up button.

The screen will come to the upper limit and stop.

Press and hold both the Up and Down Arrow buttons until the screen jog down and up in respond. Release the buttons.

Change the upper limit by momentary pressing the Up or Down button.

Press the Stop button until the screen jog down and up in respond to registering the new upper limit. Normal operation has been resumed after this step.

## **ACCESSORIES INCLUDED**

- 1    **RF TRANSMITTER KIT**
- 3    **MOUNTING BRACKETS WITH SCREWS**